ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 297 1995

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman: Vice Chairman:

A. Maeder (Switzerland) A. G. Hearn (The Netherlands)

D. Alloin (France) R. Giacconi (ESO) C. Perola (Italy) B. Szeidl (Hungary)

R. Canal (Spain)

P. Harmanec (Czech Republic)

J. Pfleiderer (Austria)

R. Wielen (Germany)

G. Contopoulos (Greece)

K. Mattila (Finland)

Aa. Sandqvist (Sweden)

J. Zverko (Slovak Republic)

M. Crézé (France) P. G. Mezger (Germany) J. I. Smak (Poland)
J. Einasto (Estonia) P. E. Nissen (Denmark) P. Smeyers (Belgium)

Editors-in-Chief

J. Lequeux

Astronomy and Astrophysics
Editorial Office
Observatoire de Paris
61 avenue de l'Observatoire
F-75014 Paris
France

M. Grewing
Astronomy and Astrophysics
Editorial Office
C/o Astronomisches Institut
Waldhäuserstrasse 64
D-72076 Tübingen
Germany

Tel. (33-1) 43290541 Tel. (49-7071) 294982 Fax (33-1) 43290557 Telefax (49-7071) 293458

e-mail: aanda@mesiob.obspm.fr (internet) Telex (41) 7262714 ait d mesioa:: aanda (span) e-mail:

Internet aaptue@ait.physik uni-tuebingen.de SPAN AITMVX::AAPTUE

Letter Editor

S.R. Pottasch Kapteyn Astronomical Institute P.O. Box 800 9700 AV Groningen The Netherlands

Tel. (31-50) 634093 Telex (44) 53572 stars nl Telefax (31-50) 636100

Editorial secretaries

Miss B. Perche Mrs. M. Rougeot Mr. W. M. Wettlaufer

Mrs. J. Zwegers-Morris

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, ist vested in European Southern Observatory (ESO).

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer International 1995 Printed in Germany

Printing and bookbinding: Druckhaus Beltz, 69494 Hemsbach

Contents

Letters to the Editor		Spectral variability in the double QSO HE 1104–1805: further	
High resolution spectroscopy of old late K dwarfs stars around the lithium I 6707.8 Å line: is lithium there?		evidence for gravitational lensing Wisotzki L., Köhler T., Ikonomou M., Reimers D.	L59
Favata F., Micela G., Sciortino S.	L1	On the oxygen abundance of neutral gas in IZw 18 Pettini M., Lipman K.	L63
HST-GHRS observations of α Piscis Austrini. Evidence for no		ROSAT observations of GRO J1655–40	1.03
gas content in the circumstellar environment Ferlet R., Lecavelier des Etangs A., Vidal-Madjar A.,		Greiner J., Predehl P., Pohl M.	L67
Bertin P., Deleuil M., Lagrange-Henri AM., Lallement R.	L5	Cold dust in elliptical galaxies	
Evidence for moderately relativistic ejections of e [±] from the nuclei		Wiklind T., Henkel C.	L71
of powerful radio sources		Discovery of a large gravitational arc in the X-ray cluster	
Roland J., Hermsen W.	L9	A 2280	
Gamma radiation from radio shocks in AGN jets	L13	Gioia I.M., Henry J.P., Luppino G.A., Clowe D.I., Böhringer H., Briel U.G., Voges W., Huchra J.P.,	
Valtaoja E., Teräsranta H. CCD photometry of comet 109 P/Swift–Tuttle	LIS	MacGillivray H.	L75
Ó Ceallaigh D.P., Fitzsimmons A., Williams I.P.	L17	PKS B1718-649: a gas-rich radio galaxy	
The detection of an unidentified variable gamma-ray source by		Véron-Cetty MP., Woltjer L., Ekers R.D., Staveley-Smith	x 70
COMPTEL		L. D. L.	L79
Williams O.R., Much R., Bennett K., Bloemen H., Collmar W., Hermsen W., Lichti G.G., McConnell M.,		Detection of optical pulsations from RX J0558.0+5353 Ashoka B.N., Marar T.M.K., Seetha S., Kasturirangan K.,	
Ryan J., Schönfelder V., Steinle H., Winkler C.	L21	Bhattacharyya J.C.	L83
A dip in the CaII H and K emission line fluxes for Hyades F		The ROSAT spectrum of the symbiotic nova AG Pegasi: evidence	
stars		for colliding winds	1 07
Bohm-Vitense E.	L25	Mürset U., Jordan S., Walder R.	L87
COMPTEL upper limits to MeV emission from the globular cluster 47 Tucanae		The outer envelopes of RR Lyrae and Cepheids <i>Kanbur S.M.</i>	L91
O'Flaherty K.S., Bennett K., Diehl R., Hermsen W.,	L29		
McConnell M., Ryan J., Schönfelder V., Winkler C. The spectrum of FG Sge in 1994	127	Cosmology	
Kipper T., Kipper M., Klochkova V.G.	L33	Arc statistics with realistic cluster potentials. II. Influence of	
New intermediate polars discovered in the ROSAT survey: two		cluster asymmetry and substructure	1
spectrally distinct classes		Bartelmann M., Steinmetz M., Weiss A. Steps towards nonlinear cluster inversion through gravitational	1
Haberl F., Motch C.	L37	distortions. II. Generalization of the Kaiser and Squires	
The magnetic field strength versus orbital period relation for binary radio pulsars with low-mass companions: evidence for		method	
neutron-star formation by accretion-induced collapse?		Seitz C., Schneider P.	287
van den Heuvel E.P.J., Bitzaraki O.	L41	The association between quasars and the galaxies of the Virgo	
On the chaotic behaviour of the solar activity		cluster Zhu XF., Chu YQ.	300
Rozelot J.P.	L45	Protogalactic evolution and magnetic fields	
Magnetic field compression in the Mon R2 cloud core Greaves J.S., Holland W.S., Murray A.G.	L49	Lesch H., Chiba M.	305
An unusual aberration of very large liquid mirror telescopes	LA	Pulsars as a tool for detection of dark matter in the Galaxy	
Ragazzoni R., Claudi R.U.	L53	Larchenkova T.I., Doroshenko O.V.	607
Detection of QSO Ton S 180 by the EUVE satellite			
Wisotzki L., Dreizler S., Engels D., Fink HH., Heber U.	L55	Extragalactic astronomy	
		Hydra A: star formation and dust production in a cooling flow	13

Stellar dynamics in E+E pairs of galaxies. I. NGC 741/742, 1587/88 and 2672/73. The data Bonfanti P., Rampazzo R., Combes F., Prugniel P.,		Young LMC star clusters as a test for stellar evolutionary models Subramaniam A., Sagar R.	695
Sulentic J.W. Stellar dynamics in E+E pairs of galaxies. II. Simulations and	28	On the stability and normal modes of polytropic stellar systems using the symmetries of linearized Liouville's equation	
interpretation Combes F., Rampazzo R., Bonfanti P.P., Prugniel P., Sulentic J.W.	37	Samimi J., Sobouti Y.	707
The spatial distribution of supernovae in paired and interacting galaxies	40	For the second second second	
Petrosian A.R., Turatto M.	49	Formation, structure and evolution of stars	
Compact groups of galaxies in the nearby universe Garcia A.M.	56	Deep VLA search for the youngest protostars: a Class 0 source in the HH 24–26 region Bontemps S., André P., Ward-Thompson D.	98
Detectability and incidence of E+A galaxies in the distant cluster Cl 0939+472 (z = 0.41) Belloni P., Bruzual A.G., Thimm G.J., Röser HJ.	61	CCD photometry of GRO J0422+32 during activity and quiescence	20
Spectro-imaging of M 82 at 3.3 µm: evidence for dissociation of		Chevalier C., Ilovaisky S.A.	103
carriers in the starburst Normand P., Rouan D., Lacombe F., Tiphène D.	311	Advanced evolutionary phases of low-mass stars: the role of the original helium	115
The UV drag on hadronic hot jets as the origin of X-ray irradiation in AGN	221	Bono G., Castellani V., Degl'Innocenti S., Pulone L. Studies of early-type variable stars. IX. Y Cygni	115
Mannheim K. Mass transfer and star formation in the early-type galaxy of a	321	Hill G., Holmgren D.E.	127
mixed pair, AM 0327–285 de Mello D.F., Keel W.C., Sulentic J.W., Rampazzo R.,		Equilibrium structure of self-gravitating Keplerian disks Hashimoto M., Eriguchi Y., Müller E. Circinus X-1 revisited: fast-timing properties in relation to	135
Bica E., White III R.E.	331	spectral state	
FAUST far ultraviolet observations of Shapley's wing in the SMC-LMC bridge		Oosterbroek T., van der Klis M., Kuulkers E., van Paradijs J., Lewin W.H.G.	141
Courtès G., Viton M., Bowyer S., Lampton M., Sasseen T.P., Wu XY.	338	Magnitude of the dynamo-generated magnetic field in solar-type convective zones	1.00
On the galaxy luminosity function in the central regions of the Coma cluster		Kleeorin N., Rogachevskii I., Ruzmaikin A.	159
Biviano A., Durret F., Gerbal D., Le Fèvre O., Lobo C., Mazure A., Slezak E.	610	Spectral investigation of galactic field blue stragglers Andrievsky S.M., Chernyshova I.V., Ivashchenko O.V. Photometric elements absolute dimensioned gualaticages	356
Extragalactic Large-scale structures behind the southern Milky Way. I. Redshifts obtained at the SAAO in the Hydra/Antlia		Photometric elements, absolute dimensions and evolutionary status of the eclipsing binary HU Tauri (HR 1471) Parthasarathy M., Sarma M.B.K., Rao P.V.	359
extension Kraan-Korteweg R.C., Fairall A.P., Balkowski C.	617	The light and period variation of CV Cygni	
The chemical history of the metal-poor galaxy IZw 18	01,	Demircan O., Müyesseroğlu Z., Selam S.O., Derman E., Akalın A.	364
Kunth D., Matteucci F., Marconi G.	634	The radiation of charged particles accelerated in strong electro-	304
The molecular cloud content of early-type galaxies. V. CO in elliptical galaxies	(12	magnetic waves Kegel W.H., Herold H., Ruder H., Leinemann R.	369
Wiklind T., Combes F., Henkel C. The globular cluster system of NGC 5481 and faint background	643	Evolution of low-mass stars with a new stellar turbulent convec-	
galaxies		tion model Civelek R., Kızıloğlu N.	382
Madejsky R., Rabolli M.	660	(RN) Radio pulsar and accretion regimes of rapidly rotating	302
Quasar absorption lines. I. The chemical composition of the absorbing clouds	671	magnetic neutron stars in early-type eccentric binaries Campana S., Stella L., Mereghetti S., Colpi M.	385
Dittmann O.J., Köppen J.	671	ROSAT survey observation of T Tauri stars in Taurus Neuhäuser R., Sterzik M.F., Schmitt J.H.M.M., Wichmann	
Galactic structure and dynamics		R., Krautter J.	391
Galactic halo magnetic fields due to a ,spiky' wind Elstner D., Golla G., Rüdiger G., Wielebinski R.	77	The spatial distribution of X-ray selected T-Tauri stars. I. Orion Sterzik M.F., Alcalá J.M., Neuhäuser R., Schmitt	
Anatomy of the Sagittarius A complex. IV. Sgr A* and the Central Cavity revisited		J.H.M.M. Seismological effects of convective-core overshooting in stars of	418
Zylka R., Mezger P.G., Ward-Thompson D., Duschl W.J., Lesch H.	83	intermediate mass Audard N., Provost J., Christensen-Dalsgaard J.	427
Heavy elements in halo stars: the r/s-process controversy Magain P.	686	Thermal radiation from rotating neutron star: effect of the magnetic field and surface temperature distribution	
Stellar clusters and associations		Zavlin V.E., Pavlov G.G., Shibanov Y.A., Ventura J. X-ray flux variations of SS 433 from Ginga observations	441
Horizontal-branch models and the second-parameter phenomenon. II. The case of M 13 and M 3		Yuan W., Kawai N., Brinkmann W., Matsuoka M. T Ursae Minoris: a Mira star with rapidly decreasing period	451
Catelan M., de Freitas Pacheco J.A.	345	Gál J., Szatmáry K.	461

(RN) Preliminary results from the ground-based BATSE/COMPTEL/NMSU Rapid Response Network for GRB 940301		A survey of main-line OH maser emission from semiregular variables Szymczak M., Le Squeren A.M., Sivagnanam P., Tran	
Harrison T.E., McNamara B.J., Pedersen H., Jørgensen H.E., Helt B.E., Green D.A., Koranyi D.M., Warner P.J.,		Minh F., Fournier A. (RN) Analysis of the moderately Li-rich giant HD 146850	494
Waldram E.M., Ryan J., Kippen R.M., Hanlon L.,		Castilho B.V., Barbuy B., Gregorio-Hetem J.	503
Hermsen W., Bennett K., Schönfelder V., Palmer D.M., Boer M., Pollas C., Metlov V.G., Metlova N.V., Vyskocil L., Wenzel W., Weber T., Hudec R., Frail D.A., Kulkarni		A study of the properties of the peculiar SN Ia 1991T through models of its evolving early-time spectrum Mazzali P.A., Danziger I.J., Turatto M.	509
S.R., Fishman G.J., Kouveliotou C., Meegan C.A., Olsen E.T., Levin S., Wannier P.G., Janssen M.A., Mahoney	465	Radio and X-ray emission in stellar magnetic loops Franciosini E., Chiuderi Drago F.	535
W.A., Barthelmy S.D., Cline T.L., Gehrels N. (RN) A search for X-rays from five pulsars: PSR's 0740–28, 1737, 30, 1822, 60, 1815–13, and 1016–114.	403	Circumstellar dust shells around long-period variables. III. Instability due to an exterior x-mechanism caused by dust forma-	
1737–30, 1822–09, 1915+13 and 1916+14 Alpar M.A., Guseinov O.H., Kızıloğlu Ü., Ögelman H.	470	tion	
The δ Scuti star FG Virginis. I. Multiple pulsation frequencies determined with a combined DSN/WET campaign Breger M., Handler G., Nather R.E., Winget D.E.,		Fleischer A.J., Gauger A., Sedlmayr E. Fundamental parameters of galactic luminous OB stars. II. A spectroscopic analysis of HDE 226868 and the mass of Cygnus	543
Kleinman S.J., Sullivan D.J., Li ZP., Solheim J.E., Jiang SY., Liu ZL., Wood M.A., Watson T.K., Dziembowski		X-1 Herrero A., Kudritzki R.P., Gabler R., Vilchez J.M., Gabler A.	556
W.A., Serkowitsch E., Mendelson H., Clemens J.C., Krzesinski J., Pajdosz G.	473	Erratum: Fundamental parameters of Wolf-Rayet stars. I. Ofpe/WN9 stars	330
Effects of accretion onto massive main sequence stars Braun H., Langer N.	483	Crowther P.A., Hillier D.J., Smith L.J.	606
Modified URCA process in neutron star cores Yakovlev D.G., Levenfish K.P.	717	Photometry of cool stars detected in extreme-ultraviolet (EUV) all-sky surveys	
Stellar evolution of low and intermediate-mass stars. I. Mass loss on the AGB and its consequences for stellar evolution		Cutispoto G., Pallavicini R., Kürster M., Rodonò M. A new approximate operator method for partial frequency	764
Blöcker T.	727	redistribution problems Paletou F., Auer L.H.	771
Radiation hydrodynamics of axisymmetric accretion flow in a common envelope environment		V 348 Sagittarii: analysis of the absorption spectrum	//1
Kley W., Shankar A., Burkert A.	739	Jeffery C.S.	779
A comparison between the Hercules X-1 pre-eclipse and anomalous dips	7.47	Galactic evolution of beryllium. I. NLTE effects and accuracy of beryllium abundances in metal-poor stars García López R.J., Severino G., Gomez M.T.	787
Reynolds A.P., Parmar A.N. (RN) Pulsating periods of HR 8851	747	Formation of hydrogen lines in the atmospheres of type II	701
Hao Jinxin, Huang Lin	754	supernovae	900
On two recently announced new symbiotic novae	759	Duschinger M., Puls J., Branch D., Höflich P., Gabler A. Dust formation in winds of long-period variables. III. Dynamical	802
Bragaglia A., Duerbeck H.W., Munari U., Zwitter T.	139	models and confirmation of a dust-induced κ-mechanism Höfner S., Feuchtinger M.U., Dorfi E.A.	815
Stellar atmospheres		Diffuse matter in space (including H II regions and planetary nebulae)	
Millimeter emission of η Carinae and its surroundings Cox P., Mezger P.G., Sievers A., Najarro F., Bronfman		Molecular hydrogen in the planetary nebula NGC 2818 Schild H.	246
L., Kreysa E., Haslam G. The β Pictoris circumstellar disk. XX. Some physical parameters	168	Complex dynamical behaviour in interstellar chemistry Le Bourlot J., Pineau des Forêts G., Roueff E.	251
of the gaseous component Mouillet D., Lagrange AM.	175	Extinction distances for three planetary nebulae Saurer W.	261
Nucleosynthesis in AGB stars: observation of ²⁵ Mg and ²⁶ Mg in IRC +10216 and possible detection of ²⁶ Al Guélin M., Forestini M., Valiron P., Ziurys L.M.,		Erratum: H ₂ O masers from low and intermediate luminosity young stellar objects: H ₂ O masers and YSOs Persi P., Palagi F., Felli M.	285
Anderson M.A., Cernicharo J., Kahane C.	183	Atomic carbon and CO isotope emission in the vicinity of the	
Determination of bolometric fluxes for F, G and K subdwarfs Alonso A., Arribas S., Martínez-Roger C.	197	Orion Bar Tauber J.A., Lis D.C., Keene J., Schilke P., Büttgenbach T.H.	567
Surface carbon abundances and compositional stratification of cool helium-rich white dwarfs Weidemann V., Koester D.	216	A model of the planetary nebula NGC 2440 Bässgen M., Diesch C., Grewing M.	828
Improvements on radiative acceleration calculations in stellar	210	Periodic stellar wind/interstellar medium interaction	020
envelopes Congolog L. F. LeBlanc F. Artru M. C. Michaud G.	223	Pogorelov N.V.	835
Gonzalez JF., LeBlanc F., Artru MC., Michaud G. Anomalous gallium line profiles in HgMn stars: possible evidence for chemically stratified atmospheres	443	The formation of interstellar molecular lines in a turbulent velocity field with finite correlation length. III. Spherical clouds in hydrostatic equilibrium	
Smith K.C.	237	Piehler G., Kegel W.H.	841

The Sun		Observations of the Sun at the ROA astrolade in 1992 (1ext in	
Diagnostics of non-thermal processes in chromospheric flares. III. Ly α and Ly β spectra for an atmosphere bombarded by		French) Sánchez M., Parra F., Soler M., Soto R.	908
electron or proton beams Hénoux J.C., Fang C., Gan W.Q.	574	A search for wind variability in central stars of planetary nebulae	
On the generation of nonlinear magnetic tube waves in the solar		Patriarchi P., Perinotto M.	909
atmosphere Huang P., Musielak Z.E., Ulmschneider P.	579	The Henry Draper Extension Charts: A catalogue of accurate positions, proper motions, magnitudes and spectral types of 86 933 stars	
Hydrogen line spectra of a nonthermal proton beam due to charge exchange in solar flares Fang C., Feautrier N., Hénoux JC.	854	Nesterov V.V., Kuzmin A.V., Ashimbaeva N.T., Volchkov A.A., Röser S., Bastian U.	909
The Evershed effect: rise and fall of the wave model Bünte M., Solanki S.K.	861	Southern binary galaxies. I. A sample of isolated pairs Soares D.S.L., de Souza R.E., de Carvalho R.R.,	000
Magnetic shear of a large delta sunspot group (NOAA 6659) in June 1991		Couto da Silva T.C. Data reduction techniques for spectral line polarization VLBI observations	909
Zhang H.	869	Kemball A.J., Diamond P.J., Cotton W.D.	909
The solar system		The Groningen IRAS imaging software (IST) Assendorp R., Bontekoe T.R., de Jonge A.R.W., Kester	
Physics and chemistry of ions in the pile-up region of comet		D.J.M., Roelfsema P.R., Wesselius P.R.	910
P/Halley Häberli R.M., Altwegg K., Balsiger H., Geiss J.	881	On matrix factorization and efficient least squares solution Schwarzenberg-Czerny A.	910
Apex-antiapex asymmetry in the anomalous cosmic ray distribu- tion in the heliosheath		High order f and g power series for orbit determination Bem J., Szczodrowska-Kozar B.	910
Czechowski A., Grzedzielski S., Mostafa I.	892	Dem J., Szczourowska-Kozar B.	910
Celestial mechanics and astrometry		Abstracts of articles which have been published in $A\&A$ Supplement Series 110, No. 3	911
TASS 1.6: ephemerides of the major Saturnian satellites Vienne A., Duriez L.	588	The 70	
New global solution of Earth orientation parameters from optical astrometry in 1900–1990		The 7C survey of radio sources at 151 MHz – a 418-square-degree region centred at RA 17 ^h , Dec. 65° Visser A.E., Riley J.M., Röttgering H.J.A., Waldram E.M.	911
Vondrák J., Ron C., Pešek I., Cepek A.	899	The field horizontal-branch B-type star Feige 86 Bonifacio P., Castelli F., Hack M.	911
Physical and chemical processes		AGN from the ROSAT all-sky survey	
(RN) A re-examination of the radial-azimuthal instability of an isothermal accretion disk	272	Bade N., Fink H.H., Engels D., Voges W., Hagen HJ., Wisotzki L., Reimers D.	911
Wu XB. Emission line signatures of anisotropic turbulence in accretion	272	SN 1993J in M 81: one year of observations at Asiago Barbon R., Benetti S., Cappellaro E., Patat F., Turatto M.,	
disks Horne K.	273	lijima T.	912
Abstracts of articles which have been published in A&A		CO observations of spiral galaxies in the Virgo cluster and in the Coma/A1367 supercluster Boselli A., Casoli F., Lequeux J.	912
Supplement Series 110, No. 2	907	A study of clusters and field stars in two regions in the Large	712
High resolution radio maps of quasars from the Jodrell Bank		Magellanic Cloud. I. CCD photometry in B and V Linde P., Lyngå G., Westerlund B.E.	912
966 MHz survey		Peculiar emission-line objects in the Small Magellanic Cloud (Text	
Reid A., Shone D.L., Akujor C.E., Browne I.W.A., Murphy D.W., Pedelty J., Rudnick L., Walsh D.	907	in French) Meyssonnier N.	912
Penetrating the "zone of avoidance". I. A compilation of optically identified extragalactic objects within $ b \le 5^{\circ}$ Weinberger R., Saurer W., Seeberger R.	907	The determination of $T_{\rm eff}$ of B, A and F main sequence stars from the continuum between 3200 Å and 3600 Å $Sokolov\ N.A.$	913
Optical studies of galaxies in clusters. Observations of spirals in	,,,,	Speckle spectrography of extended objects Keller C.U., Johannesson A.	913
Virgo. III. Sperandio M., Chincarini G., Rampazzo R., de Souza R.	907	ROSAT PSPC spectral fitting simulations with one- and two-	913
The multiple frequencies of the δ Scuti variable CC Andromedae	,,,,	temperature models of optically-thin plasmas Maggio A., Sciortino S., Collura A., Harnden Jr. F.R.	913
Jian-ning Fu, Shi-yang Jiang	908	Sensitivity loss in X-ray timing analysis	
Properties of nearby clusters of galaxies. II. A 151, A 637, A 646, A 649, A 655, A 1132, A 1314, A 1377, A 1570, A 1589		Volk K., Leahy D.A. General relativistic hydrodynamics with a Roe solver	914
Flin P., Trèvese D., Cirimele G., Hickson P.	908	Eulderink F., Mellema G.	914
Linear and non-linear limb-darkening coefficients for LTE model atmospheres	000		
Díaz-Cordovés J., Claret A., Giménez A.	908		

